

Principles of Software Design

GIT and some other stuff

Robert Lukočka

`lukotka@dcs.fmph.uniba.sk`

`www.dcs.fmph.uniba.sk/~lukotka`

M-255

Software configuration management

- Software configuration management is the task of tracking and controlling changes in the software. It includes tracking changes in source code, documentation, and other artefacts.
- Primarily done using Version control systems (VCS).
- Some other systems can be useful in this context (e.g. Issue tracking systems)

What a larger project needs?

- For all artefacts it is known where they are.
- More versions of the same artefacts.
- Multiple people working on the same artefacts concurrently.
- Storing historical versions of the artefacts.
- ...

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images. Yes.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images. Yes.
- Requirements.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images. Yes.
- Requirements. Yes.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images. Yes.
- Requirements. Yes.
- Deployment scripts.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images. Yes.
- Requirements. Yes.
- Deployment scripts. Definitely.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images. Yes.
- Requirements. Yes.
- Deployment scripts. Definitely.
- Compiler.

What to track?

We should track exactly what is necessary to build, run, and work on the project.

- Manually written source files. Yes
- Generated source files. No - but we need to save the artefacts needed to generate the source.
- Final binary. No.
- Images. Yes.
- Requirements. Yes.
- Deployment scripts. Definitely.
- Compiler. Well, maybe ...

Why you need to store different versions of your software

- You need to fix errors in older “versions” of your product still in use.
- Different deployment targets (OS)/
- Each historical “version” is its own state.
 - Useful e.g. if you need to track a newly discovered bug.
- Development “versions” of the software.
- ...

What is a version?

Commit:

- Creates a new version of the system
- Unit of change in VCS
- Each commit should make sense on its own.
- A single commit should not be easy to divide to more commits..
- After a commit the project should remain in a sound state (what sound means varies, e.g. development branch vs mainline branch).

What is a version?

Branch:

- Separate copies of the system.
- A commit affects only one branch.
- Branches can be created and merged with other branches.
- There are various reasons to have slightly different copies of the system (development, major releases, experimental).

What is GIT?

- Distributed version control
- Created for the development of Linux kernel
L. Torvalds: I'm an egotistical bastard, and I name all my projects after myself. First 'Linux', now 'git'.
- GitHub - web based version control repository and Internet hosting service – **do not confuse it with git**. Alternatives include GitLab, BitBucket, SourceForge, . . . ,
- GIT is just one particular VCS, there are alternatives too, e.g. CVS, SVN, . . . Some of the above services support other VCS than git.
- Version control services have many other features to manage projects unrelated to git.

Distributed version control [1]

- Clients instead of just taking the versions they need to work, have local repository that can contain everything central VCSserver has.
- There may be more equivalent repositories (there may not be a central server, a decentralized structure may exist - but this is rare).

GIT configuration [2]

There are three main levels of configuration:

- computer level (--system)
- user level (--global)
- project level

You need to set

- Name
- E-mail address

You want to set

- Your favorite text editor to write commit messages and other stuff

GIT configuration [2]

- `git config --global user.name "Robert Lukotka"`
- `git config --global user.email lukotka@dcs...`
- `git config --global core.editor vim`

Creating a local repository [3]

- `git init`
- `git clone`

File states [4]

- Untracked
- Unmodified
- Modified
- Staged

Basic workflow in local repository [4]

Basic commands:

- `git status`: shows the state of the files
- `git add`: changes the state to staged
- `git rm/mv`: if you delete/move files, let git know
- `git commit` (`git commit -a`)

You may want to do other stuff:

- `git diff` (or use `gitk`)
- `git reset HEAD <file>`: unstage
- `git checkout (--)` `<file>`: throw uncommitted changes
- `git commit --amend`: change last commit

Viewing commit history [5]

- `git log`: Zillions of options [6]
- `git blame`
- `gitk`

Branches [7]

- `git branch`: shows branches
- `git branch <name>`: creates a branch
- `git checkout <branchname>`: change branch
- `git branch -d <name>`: delete branch

Branches - merging [9]

- `git merge` - merges some other branch into current branch, the merged branch still exists.
 - `git` tries to merge stuff automatically
 - if he does not know what to do, it lets you resolve the conflicts
 - the new commit has links to two commits (top commits of both branches)

Branches - rebasing [8]

- `git rebase` - alternative to merging
 - gits try to apply the commits in other branch one by one
 - it tries to resolve conflicts
 - if he does not know what to do, it lets you resolve the conflicts (this may happen multiple times during a rebase)
 - the commit history is linear (good for bisecting)

Remote repository [11]

Basic commands

- `git clone`
- `git pull`: Incorporates changes from a remote repository into the current branch
- `git push`

Other stuff

- `git push origin -delete "branchname"`
- `git push --force`:
 - changes commit history
 - do not do this if more people are working on the branch
 - e.g. before merging to master you create a better history, then you need to force push it.
- `git fetch`: just downloads from remote repository, without merging to current branch
- `git remote`: manage repositories.

Very basic workflow

- `git pull`
- repeat
 - make changes
 - `git add`
 - `git commit`
- `git push`

Stash

How to pull while you have uncommitted changes and you do not want to lose them?

- git stash
- git pull
- git stash pop - may create a conflict that needs to be resolved

Stash works like stack, and has many other uses

Moving to past versions

- Each commit is identified by a part of its hash.
- HEAD: What we see in the working directory, normally top of the branch, however we can move wherever we want by `git checkout`.
- `HEAD i`: points *i* commits back.
- `git revert <commit>`: This does not change the history, just adds a new commit.
- `git reset --hard <commit>`: This changes the history.
- `git rebase -i HEAD k`: interactive rebase is a good tool to adjust history
- `git tag`: tag important commits (version bumps, etc.)

.gitignore

- Used to determine which files should be untracked by default.
- It is good idea to track this file.

GIT Hooks [12]

A way to run custom scripts when certain important actions occur.

- Can be used to block the action
- Client side / sever side
- On commit / on merge / on push / ...
- E.g. runs automated tests before merge into master, if they do not succeed, merge fails.

Pull request

Pull requests are a common way to manage mainline

- The contributor pushes a branch (into a repository or its fork).
- Requests that the project maintainer (or whoever has rights to perform the operation) to merge the changes into the master
- The reason for the name: the contributor asks somebody to pull his version to become part of the mainline.
- Mostly handled by web based version control repositories, with many additional features.

Workflows [13]

There are various possible workflows. Example

- master branch
- development branch - merges to master only on important milestones
- feature branches - merges to development branch only when the feature (or an important part of the feature) is finished

Make

Allows to run various commands

- Compared to shell scripts, it checks prerequisites
- You create a file named “Makefile”. Basic syntax:
goal: dependencies (files or other goals)
 <tab> command
 <tab> command
 <tab> ...
- Further examples

Make

Why to use make (or stand-alone automated build)?

- Everybody has his favorite IDE, but the build should work for everybody.
- Minimize dependencies
- Configure build for distinct deployments
- ...

It is very common to generate makefiles

- e.g. CMake

Many languages have own tools to automate build (often mixed with dependency management)

Markdown

A lightweight approach to add formatting to text files.

What else should you know

- SSH, SCP, SFTP, rsync.
- To make a deployment script - shell script.











How to initiate a small project

- Initiate version controlling (e.g. git)
- Set up how the project is compiled and build (e.g. Makefile)
- Deployment script
- Basic documentation template (e.g. Markdown)
- Set coding standards, workflows, how quality will be enforced, how automatic testing integrates the workflow ... (git, makefile, ...)
- Set up reasonable project structure to attain these goals.

Resources I

- Distributed version control
- Getting Started - First-Time Git Setup
- Creating a repository
- Working with local repository
- Viewing commit history
- Branches
- Merging
- Git tutorial
- Hooks
- Example workflows
- GIT hooks
- Makefile tutorial
- An Introduction to Makefiles
- Mastering Markdown

References |

-  Distributed version control
-  Getting Started - First-Time Git Setup
-  Creating a repository
-  Working with local repository
-  Viewing commit history
-  Git log
-  Branches
-  Rebasing
-  Merging
-  Rebase

References II



Remotes



Hooks



Example workflows



Pull request - Wikipedia